

## Coaxial Right Angle Connector: MCX-JWB2

### Description

MCX Right angle plug solder type cable .086

### Interface standards

MIL-C-39012

### Technical Data

#### Electrical Data

Impedance	50 $\Omega$
Interface frequency max.	6 GHz
VSWR	1.05+0.05 $\times$ f(GHz) max
Voltage rating	335 V(rms)
Test voltage	750 V(rms)
Contact resistance:	
Center conductor	$\leq$ 5 m $\Omega$
Out conductor	$\leq$ 2.5 m $\Omega$
Insulation resistance	$\geq$ 1000M $\Omega$

#### Mechanical Data

Weight	1.2 g
Durability	500 Cycles

#### Environmental Data

Operating Temperature	-65 $^{\circ}$ C to 165 $^{\circ}$ C
-----------------------	--------------------------------------

#### Material Data

##### Piece Parts

Center contact	Brass
Spring contacts	Beryllium copper
Body	Brass
Insulator	PTFE

##### Material


##### Surface Plating( $\mu$ m)

Center contact	Gold 0.5 over Nickel 2.0
Spring contacts	Gold 0.5 over Nickel 2.0
Body	Gold 0.2 over Nickel 2.0



## Coaxial Right Angle Connector: MCX-JWB2

### Outline drawing



### Packaging

Standard

Other

200/Box=20 Bag

Contact us